



Get the **CELLULOSE
ADVANTAGE**
CALL 800.325.5320

HOME

COMPANY HISTORY**CIMA TECHNICAL BULLETIN****INSULATION & SUPPLY PRODUCTS**

- Cellulose
- Supply

CERTIFICATIONS**CONTACT**

INSULATION & SUPPLY PRODUCTS

Cellulose

Advantage


Advantage is a high quality cellulosic insulation used in new construction or retrofit markets. Advantage is designed to be blown dry or with moisture added into attics. Advantage contains a combination of boric acid and ammonium sulfate as the fire retardant and passes both critical radiant flux and smoldering combustion tests. Advantage meets the requirements of the Consumer Product Safety Commission (CPSC), 16CFR1209, 1404 and ASTM C739. Advantage is a Class 1 or Class A building material based on tests according to ASTM E84.



Cell Pak
645 McIntire Lane
Decatur, AL 35603
Phone 256.260.2151
Fax 256.301.9521

Supreme

Supreme is a high quality cellulosic insulation used in new construction or retrofit markets. Supreme is designed to be blown dry or with moisture added into attics or walls. Supreme contains boric acid as the fire retardant and passes both critical radiant flux and smoldering combustion tests. Supreme meets the requirements of the Consumer Product Safety Commission (CPSC), 16CFR1209, 1404 and ASTM C739. Supreme is a Class 1 or Class A building material based on tests according to ASTM E84. We feel that the 100% boric acid formulation will increase the insect resistance and ammonia will not be released when moisture and heat are present.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES EYE IRRITATION. AVOID CONTACT WITH SKIN, EYES OR CLOTHING. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may be used in homes, restaurants, and other food and food handling establishments, markets, schools, warehouses, factories, offices, hotels, motels, hospitals, nursing homes, garages, grocery stores, apartment buildings, new construction, cellulose insulation, cotton bunting, industrial plants, theaters, ships, boats, trains, yachts, camps, mobile homes, houses, auto, banks, military bases, libraries, utilities, sewers and animal confinement areas.

DOMESTIC (HOMEOWNER) USE

Use Restrictions: Children and pets should not be in treated area until after application is complete. Do not eat pets with this product. Avoid contamination of feed and foodstuffs. Avoid contamination of ornamental plants.

Applications Directions For Control of Cockroaches, Ants, and Silverfish:

Apply liberally, scattering under and behind refrigerators, stove, sink, dishwasher, washing machine and dryer, tubs, base cabinets along backboards and corners of cabinets, cupboards, and closets. Remove all lower down in kitchen and bathroom cabinets, between dressers and chests of drawers, then scatter liberally in shower wells. Any powder visible after application must be brushed from cracks and crevices or vacuumed. Respray as necessary.

Applications Directions For Control Of Darkling Beetles (Larvae)

Method: Remove all birds in poultry or layer houses before applying. Using a fertilizer or seed spreader, uniformly apply Zone Defense powder at the rate of 1 to 2 pounds per 100 sq. ft. over old litter or soil surface of the poultry house. Liberally dust side walls, perch, top plates, and framing. Apply powder to cracks and crevices around insulation on the floor and sidewalls. Zone Defense can also be spray applied wet when mixed 1 to 2 pounds per three gallons of water for each 100 square foot of surface to be treated. DO NOT APPLY DIRECTLY TO MANURE. Evenly spread fresh litter a minimum of four inches over all treated floor surfaces before introducing birds. Respray as outlined above after each growth. Respray after each sanitizing and washdown of poultry confinement area to continue bird control.

ONLY)

Use Restrictions: Apply only in areas inaccessible to children and pets. Do not use in stable product areas of food handling establishments, restaurants, or other areas where food is conveniently prepared or processed. Do not use in serving areas while food is exposed.

Directions for Applying to New and Existing Construction to Control Cockroaches and other Target Insects: When treating large areas, such as wall voids, soffit and subfloor voids in new and existing construction, dust liberally using dusting application equipment.

Directions for Applying to Soffit and Subfloor Cavities: Apply this product dry or mixed 1/2 water or acrylic polymer for improved adhesion to sewer wall cavity sealants. At a soft set & dried 12 oz. per 190 sq. ft. using portable blower, air pistol, broom, or granulated nozzle(s).

Directions for Applying as a Mop Solution to Control Cockroaches: Mixing and Application Directions: Add 1 cup of powder to each gallon of rinse water. Apply to floor areas only. Mix only container each application. Spray liberally, if required. Respray as necessary. Any powder visible after application must be brushed from cracks and crevices or vacuumed. Avoid contamination of food and foodstuffs.

ZONE DEFENSE®

KILLS ROACHES (INCLUDING PALMETTO BUGS AND WATERBUGS)

ALSO DARKLING BEETLES ANTS & SILVERFISH

Active Ingredient: Orthoboric Acid 64.00%
Other Ingredients
Total 100.00%

KEEP OUT OF REACH OF CHILDREN...

CAUTION

FIRST AID

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

If in Eye: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container, or label with you when calling a poison control center or doctor or going for treatment.

NET WT 30 LB. (13.62kg)

See Side Panel For Additional Cautions

EPA REG. NO. 44-757-3
EPA EST No. 44757-AZ-1

Made in the U.S.A.

Manufactured By:

InCide® TECHNOLOGIES, INC.
50 North 41st Avenue
Phoenix, AZ 85009-4618

1-800-777-4558

A C C E P T E D

OCT 26 2011

These the Federal Insecticide,
Fungicide, and Rodenticide Act
is intended for the protection
of food and foodstuffs.

Reg. No. 44757-3

FOOD HANDLING ESTABLISHMENTS

Places other than private residences, in which food or feed is held, processed, prepared, or served.

1. FOOD AREAS (including some serving areas)

Includes areas for receiving, storage, packing (canning, bottling, wrapping, boning), preparing, edible waste storage and enclosed processing systems (mills, deli's, etc., etc., etc., and syrup). Also includes some SERVING AREAS.

FOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered FOOD AREAS when food is prepared and the facility is in operation. Follow application directions in this section. If food is not prepared and the facility is not in operation, follow application directions under FOOD SERVING AREAS.

NONFOOD AREAS (including some service areas)

Includes storage rooms, laboratories, floor drains (to sewer), cracks and crevices, locker rooms, maintenance rooms, locker rooms, garages, shop closets and storage (other than food or bedding). Also includes some SERVING AREAS.

NONFOOD SERVING AREAS

SERVING AREAS are facilities where food is served, such as dining rooms, but not where food is prepared or held. These areas are considered NONFOOD AREAS when food is not prepared and the facility is not in the operation.

OTHER NONFOOD AREAS

Follow application directions in this section. If food is prepared and the facility is in operation, follow application directions under FOOD SERVING AREAS.

Application Directions: Apply as a spot treatment to selective surfaces such as

baseboards, under elements of construction like cracks and crevices. Avoid creating residues likely to be consumed by food.

OTHER NONFOOD AREAS

Follow application directions in this section. If food is prepared and the facility is in operation, follow application directions under FOOD SERVING AREAS.

Application Directions: Apply to food-handling areas, around water pipes, surfaces

behind and beneath sinks, dishers, tables, plates and similar areas where insects hide or through which they may enter.

STORAGE AND DISPOSAL

Do not contaminate waste, food or feed by storage or disposal.

PESTICIDE STORAGE:

Store in dry place. Do not store where children or animals may gain access.

PESTICIDE DISPOSAL:

Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL:

Nonrefillable containers. Do not reuse or refill this container. Offer for recycling, if available.

(1) If rigid container - container: Rinse thoroughly before discarding in trash.

(2) If rigid container: Triple rinse container (or equivalent) promptly after emptying. Tie up residue as follows: Empty the remaining contents into application equipment or into tank. Fill the container 1/2 full with water and resin. Shake for 10 seconds. Pour residue into application equipment or a mix tank or store residue for later use or disposal. Drain for 10 seconds after the flow begins to stop. Repeat this procedure two more times.

(3) If bag and greater: Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or incinerator, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

These the Federal Insecticide,
Fungicide, and Rodenticide Act
is intended for the protection
of food and foodstuffs.

Reg. No. 44757-3

Registration Division (7504P)
Insecticide Branch
Product Manager 13
Mark Square
Sincerely,


This letter corrects and supersedes the Agency Letter dated June 9, 2011.
The labeling referred to above, submitted in connection with registration under
the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable.

Dear Ms. Boone:

Decision: 456717
Application Dated: October 14, 2011
EPA Registration Number: 44757-3
Zone Defense
Subject: Revised First Aid and Precautionary Statements

Phoenix, AZ 85009-4618
50 North 41st Avenue
MCide Technologies, Inc.
Ms. Rene Boone, Agent for

OCT 26 2011

OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



11 101-C

101-101-101